



# PRODUCT RANGE CATALOGUE.2022



 **FABER**  
FRANKE'S AIR EXPERT

# A VISION OF GLOBAL REACH.

## A VISION OF GLOBAL REACH.

FABER has a lot in common with air ... both are present all over the world.

Air has always been our chosen material. Now the world is our home. So it's only natural we should want to improve them both. Installing a kitchen hood is an easy way to improve the air in your home, of course, but only thanks to Faber. After all, we invented the kitchen hood, and we are making them better every day to provide our customers with the ultimate performance, quality and comfort.

Aspiring to a better world through leadership. Everywhere, every day.

## INVESTING IN THE WORLD

Always growing, to serve more people.

## THINKING LONG TERM

All-round competence: automation, robotics, IT, total quality.

## INNOVATING CONTINUOUSLY

Engineering research, advanced solutions, living benefits.

## DESIGNING THE FUTURE

Ergonomics, design, functionality, comfort, style and wellbeing for the home.



## HEADQUARTER

Fabriano (AN) -ITALIA

## COMMERCIAL OFFICE

Hudson -U.S.A.

Chambly -FRANCIA

Istanbul -TURCHIA

Mosca -RUSSIA

Pune -INDIA

## PRODUCTION PLANT

Sassoferrato -ITALIA

Manisa -TURCHIA

Villedieu-les-Poeles -FRANCIA Byske -SVEZIA

Kaluga -RUSSIA

Pune -INDIA

San Luis -ARGENTINA

San Luis Potosi -MESSICO





**FABER**  
a FRANKE Company

# **FRANKE FABER INDIA PRIVATE LIMITED.**

## **India's No. 1 Large Kitchen Appliances Company.**

With Swiss (FRANKE) and Italian (FABER) parentage, FRANKE FABER India Pvt. Limited is a part of the 2.5 billion USD FRANKE Artemis Group. Completing 25 years with its India headquarters in Pune, Maharashtra. It is now India's number 1 Kitchen Appliances Company. A host of Kitchen Essentials such as Hoods/Chimney, Built-in Hobs, Hob-Cooktop Hybrids, Cooktops, Built-in ovens, Built-in MWOs, Cooking Ranges, Dishwashers, Induction Cooktops, Water Purifiers, Water Geysers and other small appliances are brought to you by the group, and FRANKE FABER India Private Limited is on its way to reinvent the luxury kitchen space in the country.



<b>COLLECTION SERIES CHIMNEYS</b>	<b>1</b>
<b>ISLAND CHIMNEYS</b>	<b>4</b>
<b>BOLT CHIMNEYS</b>	<b>6</b>
<b>DIRECT DRIVE CHIMNEYS</b>	<b>8</b>
<b>AEROSTATION CHIMNEYS</b>	<b>10</b>
<b>SIXWAY AUTOCLEAN CHIMNEYS</b>	<b>12</b>
<b>AUTOCLEAN CHIMNEYS</b>	<b>14</b>
<b>3D CHIMNEYS</b>	<b>17</b>
<b>UTOPIA SERIES HOBTOPS</b>	<b>20</b>
<b>ULTIMA SERIES HOBTOPS</b>	<b>22</b>
<b>NEXUS SERIES HOBTOPS</b>	<b>24</b>
<b>IMPERIA SERIES HOBTOPS</b>	<b>26</b>
<b>MAXUS SERIES HOBTOPS</b>	<b>28</b>
<b>HTG/HCT SERIES HOBTOPS</b>	<b>30</b>
<b>GB SERIES HOBS</b>	<b>32</b>
<b>BUILT IN OVENS</b>	<b>34</b>
<b>BUILT IN MICROWAVES</b>	<b>37</b>
<b>COOKING RANGES</b>	<b>38</b>
<b>DISHWASHERS</b>	<b>40</b>
<b>WINE CHILLERS</b>	<b>44</b>
<b>REFRIGERATORS</b>	<b>46</b>
<b>COOKTOPS</b>	<b>48</b>
<b>MIXER GRINDERS</b>	<b>52</b>
<b>HAND BLENDERS &amp; JUICER MIXER GRINDERS</b>	<b>54</b>
<b>SLOW JUICERS</b>	<b>56</b>
<b>WATER PURIFIERS</b>	<b>58</b>
<b>OTG</b>	<b>60</b>
<b>TOASTERS &amp; SANDWICH MAKERS</b>	<b>62</b>
<b>ELECTRIC WATER KETTLES</b>	<b>64</b>
<b>AIR FRYERS</b>	<b>66</b>
<b>WET GRINDERS &amp; MULTI COOKERS</b>	<b>68</b>
<b>WATER GEYSERS</b>	<b>70</b>
<b>HEALTH CARE PRODUCTS RANGES</b>	<b>74</b>








EVO  
DIFFUSER



REMOTE  
CONTROL



INTENSIVE  
SPEED



## PAREO PLUS

Suction 1000 m<sup>3</sup>/hr


Width 50 cm

Cassettes dishwasher safe

Spotlights 4 x 20 W

Electronic Control

3 Speed







UP & DOWN  
TECHNOLOGY



REMOTE  
CONTROL



LED  
LIGHT

## SKYLIFT

Suction 1000 m<sup>3</sup>/hr

Width 90 cm

Cassettes dishwasher safe

LED Light 2 x Strips

Electronic Control

3 Speed







HOUR



DELAY



ENERGY  
SAVING



## NEST PLUS

Suction 1000 m<sup>3</sup>/hr

Width 86 cm

Cassettes dishwasher safe

Spotlights 4 x 20 W

Electronic Control

3 Speed







FREE SPACE  
DESIGN



MINIMAL  
DESIGN



ENERGY  
SAVING



COMFORT  
LIGHT



DELAY



TRENDY  
DESIGN




**HERCULES ISOLA DTC BK 60/90**

Description: Hercules Isola DTC BK 60/90  
 Finish: Black  
 Controls: Touch control (Dual)  
 Lighting: 4 x Spot LED with 1.1W  
 Filter: 3 x 3 Layer Baffle Filter  
 Suction: 1000 m3/hr  
 Width (mm): 600/900



**JANUS ISOLA 90**

Description: Jasola Isola SS LTW 90  
 Finish: Black / Stainless Steel  
 BK Finish: Black+Front Glass + Rear Glass  
 Controls: Dual Touch control (Front + Rear)  
 Lighting: 4 x 1.1W Spot lamp  
 Filter: 3 Layer Baffle  
 Suction: 1000 m3/hr  
 Width (mm): 900/1200



**STILUX ISOLA 90/120**

Description: Stilux Isola Plus LTW 90/120  
 Finish: Stainless Steel  
 Controls: Touch  
 Lighting: 4 x 1.1W Spot Lamp  
 Filter: 3 x Triple Layer Baffle Filter  
 Suction: 1000 m3/hr  
 Width (mm): 900/1200



**STILUX ISOLA BK 90**

Description: Stilux Isola Plus LTW 90/BK90  
 Finish: Black  
 Controls: Touch  
 Lighting: 4 x 1.1W Spot lamp  
 Filter: 3 x Triple Layer Baffle Filter  
 Suction: 1000 m3/hr  
 Width (mm): 900



**FEEL ISOLA BK TC 90**

Description: Feel Isola BK TC 90  
 Finish: Black  
 Controls: Touch control (Dual)  
 Lighting: 4 x Spot LED with 1.1W  
 Filter: 2 x Triple Layer Baffle Filter  
 Suction: 1000 m3/hr  
 Width (mm): 900





**INTRODUCING** THE NEXT GENERATION OF  
AUTOCLEAN CHIMNEYS WITH **360 DEGREE**  
**STEAM DRIVE TECHNOLOGY**





## BOLT 60/90

Description: Bolt FL SW SC BK 60/90  
 Finish: Black Tempered Glass  
 Controls: Gesture & Touch 2 Speed + 1 Turbo  
 Lighting: 2 x 1.5W LED lamp  
 Filter: Filterless  
 Suction: 1500 m3/hr  
 Width (mm): 600/900  
 Blower: Metal Blower  
 Oil Collector: Stainless Steel



## THUNDER BOLT 90

Description: Thunder Bolt FL SW SC BK 90  
 Finish: Black Finish  
 Function: Steam Clean  
 Controls: Gesture & Touch 2 Speed + 1 Turbo  
 Lighting: 2 x 1.5W LED lamp  
 Filter: Filterless  
 Suction: 1500 m3/hr  
 Width (mm): 900  
 Blower: Metal Blower  
 Oil Collector: Stainless Steel




Faber presents the all new, all-powerful **Bolt Chimney** with never seen before **Steam Drive 360 Degree technology** that cleans the oil and other residues with just one touch.

Get ready for more performance with less maintenance.

## EXPERIENCE ABSOLUTE POWER OF STEAM CLEANING

### OTHER FEATURES



**Filterless Technology**  
 No cleaning hassles and zero cost maintenance.



**Powerful Motor**  
 Enables higher suction power, ensuring high performance and efficiency.



# DIRECT DRIVE CHIMNEY

**BRUSHLESS DC MOTOR GENERATES LESS HEAT.  
HAS A LONGER LIFE AND PERFORMANCE**




**AURA DIRECT DRIVE BF SC AC BK 60/90**

- Finish: Black Glass
- Function: Auto Clean
- Lighting: 2 x 1.5W LED lamp
- Motor: 150 Watt BLDC Motor
- Filter: 2 Baffle Filter
- Suction: 1100/1300 m3/hr
- Controls: Touch + Gesture
- Speed: 9-speed touch switch with motion sensor
- Width (mm): 600/900
- Oil Collector: Stainless Steel



**STORM DIRECT DRIVE FL SC AC BK 60/90**

- Finish: Black Glass
- Function: Auto Clean
- Lighting: 2 x 1.5W LED lamp
- Motor: 150 Watt BLDC Motor
- Filter: Filterless
- Suction: 1500 m3/hr
- Controls: Touch + Gesture
- Speed: 9-speed touch switch with Rpm display & motion sensor
- Width (mm): 600/900
- Oil Collector: Stainless Steel






**LOVE COOKING.  
LOVE THE KITCHEN.**




**3-in-1 AeroStation AIR PURIFIER FILTER**



1. **NYLON FILTER:**  
Remove particles, such as dust and dirt, from the air.
2. **CARBON FILTER:**  
Carbon filter to trap the Odors, Gases and neutralizes them.
3. **HEPA FILTER:**  
1 Micron filter HEPA traps harmful particles such as Dust, Smoke, Pollen, etc., and gives efficiency upto 95%

# Faber launches World's only Aerostation chimney with 3D Technology



With growing air pollution & increases in the risk of health hazards, it is important to use something which keeps you and your loved one healthy & your's kitchen pollution free.

This hood comes in exciting new finishes including Alligator Black, Antique Silver & Antique Copper and also has 3 stage air purification system.

Faber introduces the world's only Aerostation Chimney with 3D Technology which offers the functionality of 3 appliances in 1. This appliance combines the functionality of a 3D chimney, a fan and an air purifier.

## GLAMOUR PRO 3D BK FT 60/90

**Description:** 3N1 Aerostation Glamour Pro 3D BK FT 60/90  
**Finish:** Black  
**Speed:** 3+ Intensive  
**Controls:** Feather Touch With Backlit  
**Lighting:** 2 x 1.5W LED lamp  
**Filter:** Triple Layer Baffle  
**Suction:** 1095 m3/hr  
**Width (mm):** 600/900

**FAN:** Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed  
**PURIFIER:** Nylon Filter: Remove particles such as dust and dirt from the air.  
**Carbon Filter:** Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter: Removes Dust, Smoke particles up to size of 1 Micron.



## STAR PRO 3D TC AB 60/90

**Description:** 3N1 Aerostation Star Pro 3D TC AB 60/90  
**Finish:** Alligator Black  
**Speed:** 3+ Intensive  
**Controls:** Touch With Backlit  
**Lighting:** 2 x 1.5W LED lamp  
**Filter:** Triple Layer Baffle  
**Suction:** 1095 m3/hr  
**Width (mm):** 600/900

**FAN:** Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed  
**PURIFIER:** Nylon Filter: Remove particles such as dust and dirt from the air.  
**Carbon Filter:** Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter: Removes Dust, Smoke particles up to size of 1 Micron.



## SPARKLE PRO 3D AB TC 60/90

**Description:** 3N1 Aerostation Sparkle Pro 3D AB TC 60/90  
**Finish:** Alligator Black  
**Speed:** 3+ Intensive  
**Controls:** Touch With Backlit  
**Lighting:** 2 x 1.5W LED lamp  
**Filter:** Triple Layer Baffle  
**Suction:** 1095 m3/hr  
**Width (mm):** 600/900

**FAN:** Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed  
**PURIFIER:** Nylon Filter: Remove particles such as dust and dirt from the air.  
**Carbon Filter:** Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter: Removes Dust, Smoke particles up to size of 1 Micron.



## SPARK PRO 3D BK 60/90

**Description:** 3N1 Aerostation Spark Pro 3D BK 60/90  
**Finish:** Alligator Black  
**Speed:** 3+ Intensive  
**Controls:** Push With Backlit  
**Lighting:** 2 x 1.5W LED lamp  
**Filter:** Triple Layer Baffle  
**Suction:** 1095 m3/hr  
**Width (mm):** 600/900

**FAN:** Controls: Premium Backlit Soft Touch Panel, Motor: 4 Speed  
**PURIFIER:** Nylon Filter: Remove particles such as dust and dirt from the air.  
**Carbon Filter:** Traps Odour, Gases and Neutralise them. HEPA 1.0 PM Filter: Removes Dust, Smoke particles up to size of 1 Micron.






# SIX WAY CHIMNEY SIX KA FIX.

KITCHEN SMOKE KA SIX WAY SOLUTION

Baffle Filter | Powerful motor | Heat Autoclean



3D Auto Clean  
Technology  
with 6-way Suction

**PREMIA 3D PLUS IND 60/90**

Description: Premia 3D Plus IND HC SC BK 60/90  
Premia 3D Plus IND HC SC FL EBK 60/90  
Finish: Black  
Functions: Auto Clean, 6 Way Suction, Filterless  
Controls: Gesture & 3 Speed Touch  
Lighting: 2 x 1.5W LED lamp  
Filter: 2 x 2 Layer Baffle Filter  
Suction: 1298, 1325 m3/hr  
Width (mm): 600/900  
Oil Collector: Stainless Steel



**CREST 3D PLUS IND 60/90**

Description: Crest 3D Plus IND HC SC BK 60/90/SS/60  
Finish: Black  
Functions: Auto Clean, 6 Way Suction, Filterless  
Controls: Gesture & 3 Speed Touch  
Lighting: 2 x 1.5W LED lamp  
Filter: Filterless  
Suction: 1275 m3/hr  
Width (mm): 600/900  
Oil Collector: Stainless Steel




**HOOD EVEREST SMART 3D IND**

Description: Hood Everest Smart 3D IND HC SC SS 60  
Finish: Stainless Steel / Black  
Functions: Heat Autoclean  
Controls: Gesture + Touch  
Lighting: 2 x LED of 1.5W each  
Filter: Filterless  
Suction: 1250 m3/hr  
Width (mm): 600  
Blower: Metal Blower  
Oil Collector: Stainless Steel



**SILENCIO 3D IND 60/90**

Description: Hood Silencio 3D IND HC SC FL BK 60/90  
Hood Silencio 3D IND HC SC BF BK 60/90  
Finish: Black  
Functions: Heat Autoclean  
Controls: Gesture + Touch  
Lighting: 2 x 1.5W LED lamp  
Filter: 2 x 2 Layer Baffle Filter  
Suction: 1325/1298 m3/hr  
Width (mm): 600/900  
Oil Collector: Stainless Steel



**BONITO 3D IND 60/90**


Description: Bonito 3D IND HC SC FL BK 60/90  
Finish: Black  
Functions: Heat Autoclean  
Controls: Gesture + Touch  
Lighting: 2 x 1.5W LED lamp  
Filter: Filterless  
Suction: 1250 m3/hr  
Width (mm): 600/900  
Oil Collector: Stainless Steel







**NO MORE  
FILTER CLEANING**



**Filter Less Hood With Oil Collector Technology**



**SS Oil Collector**



**Non Stick Rotor**



**High Suction Power**



**Touch Control**



**Auto Glass Up-down function with Anti-Squeeze Feature**

**JUPITER PLUS**

Description: Jupiter Plus HC SC BK 60/90  
 Finish: Black  
 Function: Heat Autoclean  
 Controls: Gesture & 3 Speed Touch  
 Lighting: 2 x 1.5W LED lamp  
 Filter: Cone Baffle Filter  
 Suction: 1500 m<sup>3</sup>/hr  
 Width (mm): 600/900  
 Blower: Metal Blower  
 Oil Collector: Stainless Steel



**HOOD ALPHA HC PB BK 60/90**

Description: Hood Alpha HC PB BK 60/90  
 Finish: Black  
 Function: Heat Autoclean  
 Controls: Push Button  
 Lighting: 2 x 1.5W LED lamp  
 Filter: Filterless  
 Suction: 1100 m<sup>3</sup>/hr  
 Width (mm): 600/900  
 Blower: Metal Blower  
 Oil Collector: Stainless Steel



**SUNNY**

Description: Sunny HC SC BK 60/75/90  
 Finish: Black  
 Function: Heat Autoclean  
 Controls: Gesture & 3 Speed Touch  
 Lighting: 2 x 1.5W LED lamp  
 Filter: Filterless  
 Suction: 1200 m<sup>3</sup>/hr  
 Width (mm): 600/900  
 Blower: Metal Blower with Metal Housing  
 Oil Collector: Stainless Steel



**RELISH PLUS HC BK TC 76**

Description: Relish Plus HC BK TC 76  
 Finish: Black  
 Function: Electro Thermal Autoclean  
 Controls: Touch  
 Lighting: 2 x 1.5W LED lamp  
 Filter: Filterless  
 Suction: 1150 m<sup>3</sup>/hr  
 Width (mm): 760  
 Blower: Metal  
 Oil Collector: Stainless Steel



**VERTEX PLUS 60/90**

Description: Vertex Plus FL TC HC BK 60/90  
 Finish: Black Tempered Glass  
 Function: Heat Autoclean  
 Controls: Gesture & 3 Speed Touch  
 Lighting: 2 x 1.5W LED lamp  
 Filter: Filterless  
 Suction: 1200/1500 m<sup>3</sup>/hr  
 Width (mm): 600/900  
 Blower: Metal Blower  
 Oil Collector: Stainless Steel



**ZENITH**

Description: Zenith FL SC AC BK 60/75/90  
 Finish: Black Tempered Glass  
 Function: Heat Autoclean  
 Controls: Gesture & 3 Speed Touch  
 Lighting: 2 x 1.5W LED lamp  
 Filter: Filterless  
 Suction: 1350 m<sup>3</sup>/hr  
 Width (mm): 600/750/900  
 Blower: Metal Blower  
 Oil Collector: Stainless Steel



**CREST PLUS IND**

Description: Hood Crest Plus IND HC SC BK 60/90  
 Finish: Stainless Steel Frame + Black Curved Glass  
 Controls: Gesture & 3 Speed Touch  
 Lighting: 2 x LED of 1.5W each  
 Filter: Filterless  
 Suction: 1225 m<sup>3</sup>/hr  
 Width (mm): 600/900



**APEX**

Description: Apex FL HC SC BK 60/90  
 Finish: Black Tempered Glass  
 Function: Heat Autoclean  
 Controls: Gesture & 3 Speed Touch  
 Lighting: 2 x 1.5W LED lamp  
 Filter: Filterless  
 Suction: 1500 m<sup>3</sup>/hr  
 Width (mm): 600/900  
 Blower: Metal Blower  
 Oil Collector: Stainless Steel





**BLISS**

Description: Hood Bliss FL SC AC BK 60/90  
 Finish: Black Tempered Glass  
 Function: Heat Autoclean  
 Controls: Gesture & 3 Speed Touch  
 Lighting: 2 x 1.5W LED lamp  
 Filter: Filterless  
 Suction: 1350 m3/hr  
 Width (mm): 600/900  
 Blower: Metal Blower  
 Oil Collector: Stainless Steel



**HOOD JARVIS**

Description: Jarvis HC SC BK TC 60  
 Finish: Front Designer Glas + Black Powder Coated  
 Function: Heat Autoclean  
 Controls: Gesture + Touch  
 Lighting: 2 x LED of 1.5W each  
 Filter: 2 x 2 Layer Baffle Filter  
 Suction: 1200 m3/hr  
 Width (mm): 600  
 Blower: Metal Blower  
 Oil Collector: Stainless Steel



**HOOD MARTINEZ**

Description: Hood Martinez HC TC BK 90  
 Finish: Black Glass  
 Function: Heat Autoclean  
 Controls: Touch Control  
 Lighting: 2 x 1.5W LED lamp  
 Filter: Filterless  
 Suction: 1200 m3/hr  
 Width (mm): 900  
 Blower: Metal Blower  
 Oil Collector: Stainless Steel



**MIAMI**

Description: Hood Miami FL SC AC BK 60/90  
 Finish: Stainless Steel Frame + Black Curved Glass  
 Controls: Gesture & 3 Speed Touch  
 Lighting: 2 x LED of 1.5W each  
 Filter: Filterless  
 Suction: 1200 m³/hr  
 Width (mm): 600/900  
 Blower: Metal Blower  
 Oil Collector: Stainless Steel



**HOOD ZEST**

Description: Hood Zest HC SC FL BK 60/90  
 Finish: Black  
 Function: Heat Autoclean  
 Controls: Gesture & 3 Speed Touch  
 Lighting: 2 x 1.5W LED lamp  
 Filter: Filterless  
 Suction: 1100 m3/hr  
 Width (mm): 600/900  
 Blower: Metal Blower  
 Oil Collector: Stainless Steel



**ACE PRO**

Description: Ace Pro HC PB BK 60/90  
 Finish: Black  
 Function: Heat Autoclean  
 Controls: Push Button  
 Lighting: 2 x 1.5W LED lamp  
 Filter: Filterless  
 Suction: 1100 m3/hr  
 Width (mm): 600/900  
 Blower: Metal Blower  
 Oil Collector: Stainless Steel





# 3D CHIMNEY

“I HAVE QUIT SMOKING  
IN THE KITCHEN”



3-LAYER BAFFLE FILTER



3-WAY SUCTION



LED LIGHT



LOW NOISE LEVEL



PUSH BUTTON



**STILUX 3D**

Description: Stilux 3D Plus T2S2 TC Sen Max LTW 90/60  
Stilux 3D T2S2 BK TC LTW 60/90/120  
Stilux 3D T2S2 TC LTW 60/90  
Finish: Stainless Steel / Black / Black Mirror  
Controls: Touch  
Lighting: 2 x 1.1W LED lamp  
Filter: 3 Layer Baffle Filter  
Suction: 3D Plus Max: 1350 m3/hr,  
3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.  
Width (mm): 600/900/1200



**STILO 3D**

Description: Stilo 3D Plus T2S2 Max LTW 60/90  
Stilo Slim 3D Plus T2S2 BK LTW 60/90  
Stilo Slim 3D Plus T2S2 LTW 60/90  
Finish: Stainless Steel / Black  
Controls: Push Buttons  
Lighting: 2 x 1.1W LED lamp  
Filter: 3 Layer Baffle  
Suction: 3D Plus Max: 1350 m3/hr,  
3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.  
Width (mm): 600/900



**FEEL 3D**

Description: Feel 3D Plus T2S2 TC Sen Max LTW 60/90  
Feel 3D T2S2 BK TC LTW 60/90  
Feel 3D T2S2 PB LTW 60/90  
Finish: Black with Curve Glass  
Controls: Touch / Push Buttons Control  
Lighting: 2 x 1.1W LED lamp  
Filter: 3 Layer Baffle  
Suction: 3D Plus Max: 1350 m3/hr,  
3D: 1095 m3/hr  
Width (mm): 600/900



**ARCO 3D**

Description: Arco 3D T2S2 Max LTW 60/90  
Arco 3D Plus T2S2 BK LTW 60/90  
Arco 3D Plus T2S2 LTW 60/90  
Finish: Black with Bend Glass  
Controls: Push Buttons  
Lighting: 2 x 1.1W LED lamp  
Filter: 3 Layer Baffle  
Suction: 3D Plus Max: 1350 m3/hr,  
3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.  
Width (mm): 600/900




**SUPER 3D**

Description: Super 3D Plus Max T2S2 BK TC 60/90  
Super 3D Plus T2S2 BK TC LTW 60/90  
Finish: Black with Flat Glass  
Controls: Touch  
Lighting: 2 x 1.1W LED lamp  
Filter: 3 Layer Baffle  
Suction: 3D Plus Max: 1350 m3/hr,  
3D Plus: 1150 m3/hr  
Width (mm): 600/900



**COCKTAIL 3D**

Description: Cocktail 3D T2S2 BK TC LTW 60/90  
Finish: Black Mirror  
Controls: Touch  
Lighting: 2 x 1.1W LED lamp  
Filter: Cassette  
Suction: 1095 m3/hr  
Width (mm): 600/900



**TOPAZ SMART\* 3D**

Description: Topaz Smart 3D T2S2 BK TC LTW 60/90  
Finish: Black Conical  
Controls: Touch Control  
Lighting: 2 x 1.1W LED lamp  
Filter: 3 Layer Baffle  
Suction: 1095 m3/hr  
Width (mm): 600/900



**TENDER 3D**

Description: Tender 3D T2S2 Max LTW 60/90/ BK 60/90  
Tender 3D T2S2 LTW 60/90  
Tender 3D T2S2 BK LTW 60/90  
Finish: Stainless Steel Conical / Black  
Controls: Push Buttons  
Lighting: 2 x 2W CFL lamp  
Filter: 3 Layer Baffle  
Suction: 3D Max: 1295 m3/hr,  
3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.  
Width (mm): 600/900



**TRATTO 3D**

Description: Tratto 3D T2S2 LTW 60/90  
Finish: Black with Black Mirror  
Controls: Touch Control  
Lighting: 2 x 1.1W LED lamp  
Filter: 3 x 2 Layer Baffle  
Suction: 1095 m3/hr  
Width (mm): 600/900



**GLASSY 3D**

Description: Glassy 3D T2S2 Max LTW 60/90  
Glassy 3D T2S2 LTW 60/75/90  
Glassy 3D T2S2 BK LTW 60/90  
Finish: Stainless Steel / Black Glass  
Controls: Push Button Control  
Lighting: 2 x 1.1W LED lamp  
Filter: 3 Layer Baffle  
Suction: 3D Plus Max: 1350 m3/hr,  
3D: 1095 m3/hr, 3D Plus: 1150 m3/hr.  
Width (mm): 600/750/900



**PRETTY PLUS PRO**

Description: Pretty Plus Pro BK LTW 60  
 Finish: Black Powder Coated  
 Controls: Push Button  
 Lighting: 2 x 1.1W LED lamp  
 Filter: Baffle  
 Suction: 1000 m3/hr  
 Width (mm): 600



**MARTINI**

Description: Martini TC BK LTW 60  
 Finish: Black Mirror  
 Controls: Touch  
 Lighting: 2 x 1.1W LED lamp  
 Filter: Baffle  
 Suction: 1000 m3/hr  
 Width (mm): 900



**CLASS PRO**

Description: Class Plus LTW 60  
 Finish: Black  
 Controls: Push Button  
 Lighting: 2 x 2W LED Filament lamp  
 Filter: Baffle  
 Suction: 1000 m3/hr  
 Width (mm): 600



**GLASSY**

Description: Glassy SS LTW 60  
 Finish: Stainless Steel and Glass  
 Controls: Push Button  
 Lighting: 2 x 1W LED lamp  
 Filter: Baffle  
 Suction: 800 m3/hr  
 Width (mm): 600



**RUBY XL TC**

Description: Ruby XL TC SS 60  
 Finish: Stainless Steel  
 Controls: Touch  
 Lighting: LED lamp 1 x 2W  
 Filter: Baffle  
 Suction: 700 m3/hr  
 Width (mm): 600



**RUBY XL PB**

Description: Ruby XL PB SS 60  
 Finish: Stainless Steel  
 Controls: Push Button  
 Lighting: LED lamp 1 x 2W  
 Filter: Baffle  
 Suction: 700 m3/hr  
 Width (mm): 600



**RUBY XL TC**

Description: Ruby XL TC BK 60  
 Finish: Black  
 Controls: Touch  
 Lighting: LED lamp 1 x 2W  
 Filter: Baffle  
 Suction: 700 m3/hr  
 Width (mm): 600





# INTRODUCING THE UTOPIA RANGE



**LOOKS GREAT, COOKS BETTER!**



### Dual Flame Burners

- High Performance 4 KW Burner with Dual Functionality
- Lower Single Flame of 1.7 KW provides versatility in product usage

Auto Burner Shut off  
for Superior Safety

Cast Iron  
Pan Support

Auto  
Ignition

Special Grid Design for  
Higher Burner Efficiency

**UTOPIA HT 905 BR CI**

Width (mm): 90 cm  
 Finish: 8mm Black Tempered Glass  
 Pan Support: Cast Iron  
 Burners: 1 x 4Kw Triple Ring Dual Flame  
 + 2 x 3Kw Mini Triple Ring + 2 x 1.7 Kw Double Ring  
 with Black Enamel Coating  
 Knob: Premium Metal Knobs with Golden Insets  
 Ignition: In-Built Auto Ignition with AC 230V Power Supply  
 Safety Device: FFD (Flame Failure Device)  
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 825 x 475 x WxD (mm)




**UTOPIA HT 804 BR CI**

Width (mm): 80 cm  
 Finish: 8mm Black Tempered Glass  
 Pan Support: Cast Iron  
 Burners: 1 x 4Kw Triple Ring Dual Flame  
 + 1 x 3Kw Mini Triple Ring + 2 x 1.7 Kw Double Ring  
 with Black Enamel Coating  
 Knob: Premium Metal Knobs with Golden Insets  
 Ignition: In-Built Auto Ignition with AC 230V Power Supply  
 Safety Device: FFD (Flame Failure Device)  
 Product Dimensions: 800 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 685 x 475 WxD (mm)



**UTOPIA HT 903 BR CI**

Width (mm): 90 cm  
 Finish: 8mm Black Tempered Glass  
 Pan Support: Cast Iron  
 Burners: 1 x 4Kw Triple Ring Dual Flame  
 + 1 x 3Kw Mini Triple Ring + 1 x 1.7 Kw Double Ring  
 with Black Enamel Coating  
 Knob: Premium Metal Knobs with Golden Insets  
 Ignition: In-Built Auto Ignition with AC 230V Power Supply  
 Safety Device: FFD (Flame Failure Device)  
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 825 x 475 x WxD (mm)



**UTOPIA HT 783 BR CI**

Width (mm): 78 cm  
 Finish: 8mm Black Tempered Glass  
 Pan Support: Cast Iron  
 Burners: 1 x 4Kw Triple Ring Dual Flame  
 + 1 x 3Kw Mini Triple Ring + 1 x 1.7 Kw Double Ring  
 with Black Enamel Coating  
 Knob: Premium Metal Knobs with Golden Insets  
 Ignition: In-Built Auto Ignition with AC 230V Power Supply  
 Safety Device: FFD (Flame Failure Device)  
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 685 x 475 WxD (mm)




**UTOPIA HT 604 BR CI**

Width (mm): 60 cm  
 Finish: 8mm Black Tempered Glass  
 Pan Support: Cast Iron  
 Burners: 1 x 4Kw Triple Ring Dual Flame  
 + 1 x 3Kw Mini Triple Ring + 2 x 1.7 Kw Double Ring  
 with Black Enamel Coating  
 Knob: Premium Metal Knobs with Golden Insets  
 Ignition: In-Built Auto Ignition with AC 230V Power Supply  
 Safety Device: FFD (Flame Failure Device)  
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 555 x 475 x WxD (mm)



**UTOPIA HT 603 BR CI**

Width (mm): 60 cm  
 Finish: 8mm Black Tempered Glass  
 Pan Support: Cast Iron  
 Burners: 1 x 4Kw Triple Ring Dual Flame  
 + 1 x 3Kw Mini Triple Ring + 1 x 1.7 Kw Double Ring  
 with Black Enamel Coating  
 Knob: Premium Metal Knobs with Golden Insets  
 Ignition: In-Built Auto Ignition with AC 230V Power Supply  
 Safety Device: FFD (Flame Failure Device)  
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 555 x 475 WxD (mm)





INTRODUCING

## ULTIMA RANGE

INDIA'S ONLY HOB COOKTOP WITH  
TRIPLE RING FLAME IN ALL BURNERS



### ULTIMATE BURNER PERFORMANCE



#### DIRECT FLAME TECHNOLOGY

- High Performance 3KW and 2.0 KW Burner combination
- Black Enamelled Burners for superior Aesthetic looks

Flame Failure  
Device

Evenly  
Cooking

Auto Ignition

Cast Iron Pan Supports

**ULTIMA PLUS HT904 CRS BR CI AI**

Width (mm): 90 cm  
 Ignition: In-Built Auto Ignition  
 Pan Support: Cast Iron  
 Burners: 2 x 3Kw Triple Ring Flame +  
 2 x 2Kw Triple Ring with Black Enamel Coating  
 Knob: Premium Metal Knobs  
 Ignition: In-Built Auto Electric with 1.5V DC Battery  
 Safety Device: FFD (Flame Failure Device)  
 Product Dimensions: 900\* 525\* 145 WxDxH (mm)  
 Carcass Dimensions: 825\* 475 WxD (mm)



**ULTIMA HT 904 CRS BR CI AI**

Width (mm): 90 cm  
 Ignition: In-Built Auto Ignition  
 Pan Support: Cast Iron  
 Burners: 2 x 3Kw Triple Ring Flame +  
 2 x 2Kw Triple Ring with Black Enamel Coating  
 Knob: Premium Metal Knobs  
 Ignition: In-Built Auto Electric with 1.5V DC Battery  
 Product Dimensions: 900\* 525\* 145 WxDxH (mm)  
 Carcass Dimensions: 825 \* 475 WxD (mm)



**ULTIMA PLUS HT783 CRS BR CI AI**

Width (mm): 80 cm  
 Ignition: In-Built Auto Ignition  
 Pan Support: Cast Iron  
 Burners: 2 x 3Kw Triple Ring Flame +  
 1 x 2Kw Triple Ring with Black Enamel Coating  
 Knob: Premium Metal Knobs  
 Ignition: In-Built Auto Electric with 1.5V DC Battery  
 Safety Device: FFD (Flame Failure Device)  
 Product Dimensions: 800 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 685 x 475 WxD (mm)



**ULTIMA HT724 CRS BR CI AI**

Width (mm): 72 cm  
 Ignition: In-Built Auto Ignition  
 Pan Support: Cast Iron  
 Burners: 2 x 3Kw Triple Ring Flame +  
 2 x 2Kw Triple Ring with Black Enamel Coating  
 Knob: Premium Metal Knobs  
 Ignition: In-Built Auto Electric with 1.5V DC Battery  
 Product Dimensions: 720\* 525\* 145 WxDxH (mm)  
 Carcass Dimensions: 675 x 475 WxD (mm)




**ULTIMA HT723 CRS BR CI AI**

Width (mm): 72 cm  
 Ignition: In-Built Auto Ignition  
 Pan Support: Cast Iron  
 Burners: 1 x 3Kw Triple Ring Flame +  
 2 x 2Kw Triple Ring with Black Enamel Coating  
 Knob: Premium Metal Knobs  
 Ignition: In-Built Auto Electric with 1.5V DC Battery  
 Product Dimensions: 720\* 525\* 145 WxDxH (mm)  
 Carcass Dimensions: 675 x 475 WxD (mm)





# INTRODUCING NEXUS IND RANGE



## 3D FLAME TECHNOLOGY

- High Performance 3Kw Triple Ring Burner
- Faster and evenly cooking

Flame Failure  
Device

Full Brass  
Burner


Cast Iron  
Pan Support

Auto  
Ignition

Special Grid Design for  
Higher Burner Efficiency

**NEXUS IND HT 905 CRS BR CI AI**

Width (mm): 90 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic  
 Burners: 3 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 825 x 475 WxD (mm)



**NEXUS STAR IND HT 904 CRS BR CI AI**

Width (mm): 90 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic  
 Burners: 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Safety Device: FFD (Flame Failure Device)  
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 825 x 475 x 50 WxD (mm)



**NEXUS IND HT 904 CRS BR CI AI**

Width (mm): 90 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic  
 Burners: 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 825 x 475 WxD (mm)



**NEXUS IND HT 803 CRS BR CI AI**

Width (mm): 80 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic  
 Burners: 2 x 3Kw Triple Ring + 1 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Safety Device: FFD (Flame Failure Device)  
 Product Dimensions: 800 x 380 x 145 WxDxH (mm)  
 Carcass Dimensions: 705 x 325 WxD (mm)



**NEXUS STAR IND HT 783 CRS BR CI AI**

Width (mm): 78 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic  
 Burners: 1 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Safety Device: FFD (Flame Failure Device)  
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 705 x 475 WxD (mm)



**NEXUS IND HT 783 CRS BR CI AI**

Width (mm): 78 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic  
 Burners: 1 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 705 x 475 WxD (mm)



**NEXUS IND HT 784 CRS BR CI AI**

Width (mm): 78 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic  
 Burners: 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 685 x 475 WxD (mm)




**NEXUS STAR IND HT 654 CRS BR CI AI**

Width (mm): 60 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic  
 Burners: 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Safety Device: FFD (Flame Failure Device)  
 Product Dimensions: 650 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 595 x 470 WxD (mm)



**NEXUS IND HT 604 CRS BR CI AI**

Width (mm): 60 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic  
 Burners: 2 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 555 x 475 WxD (mm)



**NEXUS HT 603 CRS BR CI AI**

Width (mm): 60 cm  
 Finish: Premium Metallic  
 Pan Support: Cast Iron  
 Knob: Black Metal  
 Burners: 1 x 3Kw Triple Ring + 2 x 1.7Kw Lotus Double Ring Brass Burner with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 555 x 475 WxD (mm)





# INTRODUCING IMPERIA HOB COOKTOP HYBRIDS

**Safety:**

FFD : Flame Failure Device is a safety feature which automatically cuts off the gas supply if the flame goes out stopping any gas flow.



## TRIPLE & DUAL RING BURNER

- High Performance 3KW and 1.7 KW Burner combination
- Black Enameled Burners for superior Aesthetic looks

Flame Failure Device	Premium Metal Knobs with Black Insets	Auto Ignition	Heavy Duty Cast Iron Pan Supports
----------------------	---------------------------------------	---------------	-----------------------------------

**IMPERIA 905 BRB CI BK**



Width (mm): 90 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic with Black Insets  
 Burners: 3 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 825 x 475 WxD (mm)



**IMPERIA PLUS 784 BRB CI BK**



Width (mm): 78 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic with Black Insets  
 Safety Device: FFD (Flame Failure Device)  
 Burners: 2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with AC 230V Power Supply  
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 685 x 475 WxD (mm)



**IMPERIA 784 BRB CI BK**



Width (mm): 78 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic with Black Insets  
 Burners: 2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 685 x 475 WxD (mm)



**IMPERIA PLUS 783 BRB CI BK**



Width (mm): 78 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic with Black Insets  
 Safety Device: FFD (Flame Failure Device)  
 Burners: 1 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with AC 230V Power Supply  
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 685 x 475 WxD (mm)



**IMPERIA 783 BRB CI BK**



Width (mm): 78 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic with Black Insets  
 Burners: 1 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 685 x 475 WxD (mm)



**IMPERIA PLUS 604 BRB CI BK**



Width (mm): 60 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic with Black Insets  
 Safety Device: FFD (Flame Failure Device)  
 Burners: 2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with AC 230V Power Supply  
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 685 x 475 WxD (mm)



**IMPERIA 604 BRB CI BK**



Width (mm): 60 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic with Black Insets  
 Burners: 2 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 555 x 475 WxD (mm)



**IMPERIA 603 BRB CI BK**



Width (mm): 60 cm  
 Finish: Black Tempered Glass  
 Pan Support: Cast Iron  
 Knob: Premium Metallic with Black Insets  
 Burners: 1 x 3Kw Triple Ring Flame + 2 x 1.7Kw Double Ring with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 555 x 475 WxD (mm)





INTRODUCING

# MAXUS HOB COOKING HYBRIDS



## MULTI FLAME BURNER

- High Power 2.5KW Burner
- Lower Flame of 1.5KW provides consumer versatility in product usage

Brass Burner with Black Enamel Coating

Cast Iron Pan Support

Auto Ignition

Premium Metal Knobs with Golden Insets

**MAXUS HT 905 CRS BR CI AI**

Width (mm): 86 cm  
 Finish: 8 mm Black Tempered Glass  
 Burners: 3 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Pan Support: Cast Iron  
 Knob: Premium Metallic with Golden Insects  
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 825 x 475 WxD (mm)



**MAXUS HT 904 CRS BR CI AI**

Width (mm): 90 cm  
 Finish: 8 mm Black Tempered Glass  
 Burners: 2 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Pan Support: Cast Iron  
 Knob: Premium Metallic with Golden Insects  
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 825 x 475 WxD (mm)



**MAXUS HT 803 CRS BR CI AI**

Width (mm): 80 cm  
 Finish: 8 mm Black Tempered Glass  
 Burners: 2 x 2.5Kw and 1 x 1.5Kw with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Pan Support: Cast Iron  
 Knob: Premium Metallic with Golden Insects  
 Ignition: In-Built Auto Electric with 1.5V DC Battery  
 Product Dimensions: 800 x 380 x 145 WxDxH (mm)  
 Carcass Dimensions: 705 x 325 WxD (mm)



**MAXUS HT 784 CRS BR CI AI**

Width (mm): 78 cm  
 Finish: 8 mm Black Tempered Glass  
 Burners: 2 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Pan Support: Cast Iron  
 Knob: Premium Metallic with Golden Insects  
 Ignition: In-Built Auto Electric with 1.5V DC Battery  
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 685 x 475 WxD (mm)



**MAXUS HT 783 CRS BR CI AI**

Width (mm): 78 cm  
 Finish: 8 mm Black Tempered Glass  
 Burners: 1 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Pan Support: Cast Iron  
 Ignition: In-Built Auto Electric with 1.5V DC Battery  
 Knob: Premium Metallic with Golden Insects  
 Product Dimensions: 780 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 685 x 475 WxD (mm)



**MAXUS HT 604 CRS BR CI AI**

Width (mm): 60 cm  
 Finish: 8 mm Black Tempered Glass  
 Burners: 2 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Pan Support: Cast Iron  
 Knob: Premium Metallic with Golden Insects  
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 555 x 475 WxD (mm)



**MAXUS HT 603 CRS BR CI AI**


Width (mm): 60 cm  
 Finish: 8 mm Black Tempered Glass  
 Burners: 1 x 2.5Kw and 2 x 1.5Kw with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Pan Support: Cast Iron  
 Knob: Premium Metallic with Golden Insects  
 Product Dimensions: 600 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 555 x 475 WxD (mm)





INTRODUCING

# HTG/HCT HOB COOKTOP HYBRIDS




## TRIPLE & DUAL RING BURNER

- High Performance Burner
- Lotus Flame

Glass Edge Protector | Knob Protector | Auto Ignition | Special Grid Design for Higher Burner Efficiency


**HTG 905 CRS BR CI**

Width (mm): 90 cm  
 Finish: 8 mm Black Tempered Glass  
 Pan Support: Knob Protector Enameled Grid  
 Knob: Premium Bakelite  
 Burners: 3 x Triple Ring + 2 x Double Ring Brass Burners  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 900 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 825 x 470 WxD (mm)




**HTG 754 CRS BR CI**

Width (mm): 75 cm  
 Finish: 8 mm Black Tempered Glass  
 Pan Support: Knob Protector Enameled Grid  
 Knob: Premium Bakelite  
 Burners: 2 x Triple Ring + 2 x Double Ring Brass Burners  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 750 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 670 x 470 WxD (mm)



**HTG 753 CRS LBK CI**

Width (mm): 75 cm  
 Finish: 8 mm Black Tempered Glass  
 Pan Support: Knob Protector Enameled Grid  
 Knob: Premium Bakelite  
 Burners: 1 Medium + 2 x Double Ring Brass Burners  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 750 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 670 x 470 WxD (mm)



**HTG 654 CRS BR CI/WH**

Width (mm): 65 cm  
 Finish: 8 mm Black /White Tempered Glass  
 Pan Support: Knob Protector Enameled Grid  
 Knob: Premium Bakelite  
 Burners: 2 Triple Ring + 2 x Double Ring Brass Burners  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 650 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 595 x 470 WxD (mm)



**HTG 653 CRS BR CI/WH**

Width (mm): 65 cm  
 Finish: 8 mm Black Tempered Glass  
 Pan Support: Knob Protector Enameled Grid  
 Knob: Premium Bakelite  
 Burners: 1 x Triple Ring + 2 x Double Ring Brass Burners  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 650 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 595 x 470 WxD (mm)



**HCT 754 SR CRS LBK CI**

Width (mm): 75 cm  
 Finish: 8 mm Black Tempered Glass  
 Pan Support: Enameled Grid  
 Knob: Premium Bakelite  
 Burners: 2 Medium + 2 x Small Lotus Brass Burners with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 750 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 670 x 470 WxD (mm)



**HCT 753 SR CRS LBK CI**

Width (mm): 75 cm  
 Finish: 8 mm Black Tempered Glass  
 Pan Support: Enameled Grid  
 Knob: Premium Bakelite  
 Burners: 2 Medium + 1 x Small Lotus Brass Burners with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 750 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 670 x 470 WxD (mm)



**HCT 654 CRR LBK CI**

Width (mm): 65 cm  
 Finish: 8 mm Black Tempered Glass  
 Pan Support: Enameled Grid  
 Knob: Premium Bakelite  
 Burners: 2 Medium + 2 x Small Lotus Brass Burners with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 650 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 595 x 470 WxD (mm)



**HCT 653 CRR LBK EI AI**

Width (mm): 65 cm  
 Finish: 8 mm Black Tempered Glass  
 Pan Support: Enameled Grid  
 Knob: Premium Bakelite  
 Burners: 2 Medium + 1 x Small Lotus Brass Burners with Black Enamel Coating  
 Ignition: In-Built Auto Ignition with 1.5V DC Battery  
 Product Dimensions: 650 x 525 x 130 WxDxH (mm)  
 Carcass Dimensions: 595 x 470 WxD (mm)





# GB SERIES

MINI TRIPLE RING BURNER  
MEDIUM RING BURNER  
IN-BUILT AUTO IGNITION



**GB 724 SR 2MTC AUX**

Width (mm): 72 cm  
 Finish: 8 mm Black Tempered Glass  
 Burners: 2 Medium Burner + 1 Small Burner +  
 1 Mini Triple Ring Burner  
 Ignition: In-Built Auto Ignition with AC 230V Power Supply  
 Pan Support: Knob Protector Enameled Grid  
 Knob: Premium Bakelite  
 Product Dimensions: 720 x 530 LxW(mm)  
 Carcass Dimensions: 575 x 480 LxW (mm)



**GB 724 2SR + MTC + AUX**

Width (mm): 72 cm  
 Finish: 8 mm Black Tempered Glass  
 Burners: 1 Medium Burner + 2 Small Burner +  
 1 Mini Triple Ring Burner  
 Ignition: In-Built Auto Ignition with AC 230V Power Supply  
 Pan Support: Enameled Grid  
 Knob: Premium Bakelite  
 Product Dimensions: 720 x 530 LxW(mm)  
 Carcass Dimensions: 575 x 480 LxW (mm)



**GB 723 SR + 2MTC + AUX**

Width (mm): 72 cm  
 Finish: 8 mm Black Tempered Glass  
 Burners: 1 Medium Burner + 1 Small Burner +  
 1 Mini Triple Ring Burner  
 Ignition: In-Built Auto Ignition with AC 230V Power Supply  
 Pan Support: Enameled Grid  
 Knob: Premium Bakelite  
 Product Dimensions: 720 x 530 LxW(mm)  
 Carcass Dimensions: 575 x 480 LxW (mm)







Multi  
Cooking



Conventional  
Top & Bottom



Fast  
Heat up



**FBIO 83L 18F TFT BK**

- 60 cm • 83 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 18 Cooking Functions • Electronic Auto Program
- TFT Touch Control • Digital Timer
- 3D hot air circulation system • Rotisserie
- Anti-Scalding Cold Door Technology
- Oven Size (WxHxD): 594x594x519 mm
- Carcass Size (WxD): 558x587 mm



**FBIO 83L 15F BK**

- 60 cm • 83 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 15 Cooking Functions • Electronic Auto Program
- Sensor Touch Control • Digital Timer
- 3D hot air circulation system • Rotisserie
- Anti-Scalding Cold Door Technology
- Oven Size (WxHxD): 594x594x519 mm
- Carcass Size (WxH): 558x587 mm



**FBIO 80L 10F BS**

- 60 cm • 80 Ltr. Oven Capacity
- A Class Energy efficiency • Sensor touch control
- Conventional top and bottom heat
- Full surface grill/Fan Assisted grill
- Top oven/Multi-Cooking/Defrosting
- LED fully electronic display • Auto Program
- Three layers glass door
- Removable inner Glass • 5 shelf positions
- Enamel Interior for easy cleaning
- Rotisserie • Digital clock
- With 10 heating methods
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm



**FBIO 80L 10F GLM-Steamer**

- 60 cm • 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 10 Cooking Functions • Electronic Auto Program
- Sensor Touch + Knob Control • Digital Timer
- Cooling Fan • Rotisserie
- Enamel Interior for easy cleaning
- Chromed side racks with anti-tilt system
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxD): 595x595 mm



**FBIO 80L 8F / FBIO 80L 8F BK**

- 60 cm • 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency • 8 Cooking Functions
- Touch + Push / Pull Knob Control • Digital Display
- Electronic timer • Auto Program
- Three layers glass door • Cool touch glass
- 5 shelf positions • Side rack support
- Enamel Interior for easy cleaning
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm



Also available in  
Stainless Steel Strips

**FBIO 83L 6F AF BK**

- 60 cm • 83 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency
- Full Black Glass Appearance
- 6 Cooking Functions • Electronic Auto Program
- Sensor Touch Control • Digital Timer
- 3D hot air circulation system • Air fry function
- Anti-Scalding Cold Door Technology
- Oven Size (WxHxD): 594x594x519 mm
- Carcass Size (WxH): 558x587 mm



**FBIO 80L 6F / FBIO 80L 6F BK**

- 60 cm • 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency • 6 Cooking Functions
- Knob Control • Mechanical Timer
- Convection Fan • Cooling Fan • Rotisserie
- Three layers glass door • Cool touch glass
- 5 shelf positions • Side rack support
- Enamel Interior for easy cleaning
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxD): 595x595 mm



Also available in  
Stainless Steel Strips

**FBIO 80L 4F / FBIO 80L 4F BK**

- 60 cm • 80 Ltr. Oven Capacity
- Electric Multifunction Oven
- A Class Energy efficiency • 4 Cooking Functions
- Knob Control • Mechanical Timer
- Convection Fan • Three layers glass door
- Cool touch glass • 5 shelf positions
- Enamel Interior for easy cleaning
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm



Also available in  
Stainless Steel Strips



**FPO 621 BK**

- 60 cm • 83 Ltr. Oven Capacity
- Black Glass Finish
- Electric Multifunction Oven
- 10 Cooking Functions • Electronic Auto Program
- Memory Function • Sensor Touch Control
- Digital Timer • Cooling Fan
- Rotisserie • Electronic Child lock
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm



**FPO 621 SS**

- 60 cm • 83 Ltr. Oven Capacity
- Black Glass with SS Trim Finish
- 10 Cooking Functions
- Electronic Auto Program
- Sensor Touch • Digital Timer
- Cooling Fan • Rotisserie
- Oven Size (WxHxD): 594x594x569 mm
- Carcass Size (WxH): 595x595 mm



**FBI WD 6P TC BS**

- 14cm deep warming drawer, suitable for installation in a 60 cm high niche together with a 60 cm width steam oven, microwave combi oven, or with a coffee machine usable height approx. 10 cm
- 6 place settings or 2D plates ø 28 cm or up to 80 Espresso cups or 40 Cappuccino cups (depending on size and style) Max. load 20 kg
- Hot air fan system for heating crockery
- Temperatures freely adjustable from approx. 30° - 80°
- Illuminated on / off switch
- 230 V, 50Hz, 432W
- Touch Control
- Telescopic full-depth pull-out with press + release Mechanism
- Anti slip mat
- Push-to-open-door
- Cool front



**FBIO 67L 10F GLB**

- 60 cm • 67 Ltr. Oven Capacity
- Black Finish
- Electric Multifunction Oven
- A Class Energy efficiency -15%
- 10 Cooking Functions • Electronic Auto Program
- Memory Function • Sensor Touch Control
- Digital Timer • Cooling Fan
- Rotisserie • Electronic Child lock
- Oven Size (WxHxD): 594x594x566 mm
- Carcass Size (WxH): 595x595 mm



**FBIMWO 38L CGS BS**

- Capacity 38 L
- Fully sensor touch control
- LED fully electronic display
- Cooking duration setting
- Door interlock (safety switch)
- Stainless steel cavity
- Digital clock with automatic cut off timer
- Child lock system • Defrost • Recipe
- Microwave + Grilling + Convection
- MWO Size (WxHxD): 594x455x486 mm
- Carcass Dimension (WxH): 565x458 mm



**FPM 621 BK**

- Width: 60 cm • Capacity: 38 L
- Finish: Black Glass Finish
- Sensor touch control
- MWO + Grill + Convection functions
- Digital timer with auto cut off
- Auto cook menus
- Oven Size: (WxHxD): 594\*455\*486 mm
- Carcass Size: (WXH): 565\*458 mm



**FBIMWO 38L GLM**

- Width: 60 cm • Capacity: 38 L
- Finish: Mirror Glass
- Microwave + Grill + Convection
- Grill + Convection • Convection • Grill
- Defrost • Recipe • Combination Cooking
- Digital Timer • Electronic Push Button Control
- MWO Size: (WxHxD): 594\*455\*486 mm
- Carcass Dimension: (WxH): 565\*458 mm



**FBIMWO 32L GLB**

- Width: 60 cm • Capacity: 32 L
- Finish: Black • Grill + Convection
- 10 Auto Cook Menus
- Defrost • Combination Cooking
- Digital Timer • Electronic Control
- Child Safety Lock
- MWO Size: (WxHxD): 595\*468\*388 mm
- Carcass Dimension: (WxH): 560\*550\*380 mm



**FBIMWO 32L CGS**

- Width: 60 cm • Capacity: 32 L
- Finish: Stainless Steel
- Grill + Convection
- 10 Auto Cook Menus
- Defrost • Combination Cooking
- Digital Timer • Electronic Control
- Child Safety Lock
- MWO Size: (WxHxD): 595\*468\*388 mm
- Carcass Dimension: (WxHxD): 560\*550\*380 mm



**FBIMWO 25L CGS**

- Width: 60 cm • Capacity: 25 L
- Finish: Stainless Steel
- Grill + Convection
- 10 Auto Cook Menus
- Defrost • Combination Cooking
- Digital Timer • Electronic Push Button Control
- MWO Size: (WxHxD): 594\*470\*388 mm
- Carcass Dimension: (WxH): 560\*550\*380 mm



**FBIMWO 25L CGS BK**

- Width: 60 cm • Capacity: 25 L
- Finish: Black / White
- Grill + Convection
- 10 Auto Cook Menus
- Defrost • Combination Cooking
- Digital Timer • Electronic Control
- Child Safety Lock
- MWO Size: (WxHxD): 595\*470\*388 mm
- Carcass Dimension: (WxHxD): 560\*550\*380 mm



**FBIMWO 20L SG**

- Width: 60 cm • Capacity: 20 L
- Finish: Stainless Steel
- Grill • 10 Auto Cook Menus
- Defrost • Combination Cooking
- Digital Timer • Electronic Control
- Child Safety Lock
- MWO Size: (WxHxD): 595\*344\*382 mm
- Carcass Dimension: (WxH): 560\*500\*362 mm



**FBIMWO 20L SG BK**

- Width: 60 cm • Capacity: 20 L
- Finish: Black
- Grill • 10 Auto Cook Menus
- Defrost • Combination Cooking
- Digital Timer • Touch Control
- Child Safety Lock
- MWO Size: (WxHxD): 594\*344\*382 mm
- Carcass Dimension: (WxHxD): 560\*500\*362 mm









**FCR 114L 5B HECIR**

- Width: 90 cm
- Finish: Stainless Steel
- Oven Capacity: 114 Litres
- 5 Burners: 1 Triple Ring 4Kw 1 Mini Triple Ring 2.5Kw + 1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Rotisserie
- Auto Ignition for Burners and Oven
- Digital Timer
- Cast Iron Grid
- Enamel Interior for Easy Cleaning
- Size: (W\*D\*H): 900 x 600 x 890 mm



**FCR 53L 4B CIR**

- Width: 60 cm
- Finish: Stainless Steel
- Oven Capacity: 53 Litres
- 4 Burners: 1 Triple Ring 4Kw 1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Rotisserie
- Auto Ignition for Burners and Oven
- Digital Timer
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: (W\*D\*H): 595 x 600 x 855 mm



**FCR 52L 4B BEG**

- Width: 55 cm
- Finish: Stainless Steel
- Oven Capacity: 52 Litres
- 4 Burners: 1 Mini Triple Ring 2.5 Kw 1 Large 3Kw + 2 Medium 1.75Kw
- Gas Grill
- Auto Ignition for Burners and Oven
- Digital Timer
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: (W\*D\*H): 555 x 570 x 890 mm



**FCR 44L 4B 4FBK**

- Width: 50 cm
- Finish: Black
- Oven Capacity: 44 Litres
- 4 Burners: 1 Large + 2 Medium + 1 Smalls
- Gas Grill
- Push Button Ignition for Burners and Oven
- Enamel Grid
- Enamel Interior for Easy Cleaning
- Size: (W\*D\*H): 500\*500\*890 mm





# Dishwashers Plate up for more.



MADE FOR INDIAN  
KITCHEN



HYGIENIC CLEANING



ECO WASH



SAVE WATER



DELAY START



ENERGY SAVING

**FBID 8PR 14S (Built-in)**

- 8 Washing Programs
- 14 Place capacity
- SS Finish
- Dual Zone Wash
- Power Memory
- Auto Wash
- Extra Drying
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 815\*598\*600 mm
- Carcass Dimension: (H\*W\*D): 820-865\*600\*580 mm



**FSID 8PR 14S (Semi Integration)**

- 8 Washing Programs
- 14 Place capacity
- SS Finish
- Dual Zone Wash
- Power Memory
- Child Safety Lock
- Power wash/Extra drying/Express
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 845\*598\*600 mm
- Carcass Dimension: (H\*W\*D): 890\*645\*645 mm



**FFSD 8PR 14S BK**

- 8 Washing Programs
- 14 Place capacity
- Black Finish
- Dual Zone Wash
- Power Memory
- Child Safety Lock
- Power wash/Extra drying/Express
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 845\*598\*600 mm



**FFSD 8PR 14S**

- 8 Washing Programs
- 14 Place capacity
- Stainless Steel Finish
- Dual Zone Wash
- Power Memory
- Child Safety Lock
- Power wash/Extra drying/Express
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Electronic Aqua Stop
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 845\*598\*600 mm







# WASH TECHNOLOGY



## Saving water

Faber products can use as little as 10L water to wash a full load dishes, without compromising on energy consumption or wash quality. What's more, Faber satellite spray and intensive spray work efficiently and reduce water greatly.



## A+class energy efficiency level

Energy consuming less, efficiency improving more. Faber products have a heat exchange system which uses the heat generated in the wash cycle, to preheat the water for subsequent rinse cycles. No additional energy is required for the drying cycle and all energy gets a most reasonable utility.



## Delayed start

The wash cycle can be delayed to make use of the most convenient time brands.

## AUTO

### Auto

A special sensor sets the wash cycle in accordance with the soil level of the crockery.

## WATER SAFE



### Total safety

Faber dishwashers are fitted with safety systems to prevent the risk of flooding. Special devices cut off the water supply from the mains to the inlet point.

## DUAL ZONE



### Dual Zone

This wash function allow to use either lower or upper basket when less utensils for washing, this will save consumption of water, time and energy.

**FFSD 6PR 12S Neo Black**

- 6 Washing Programs
- 12 Place capacity
- Neo Black Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 845\*598\*600 mm



**FFSD 6PR 12S Neo Inox**

- 6 Washing Programs
- 12 Place capacity
- Neo Inox Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 845\*598\*600 mm



**FFSD 6PR 12S Neo White**

- 6 Washing Programs
- 12 Place capacity
- Neo White Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 845\*598\*600 mm



**FFSD 6PR 8S Ace Black**

- 6 Washing Programs
- 8 Place capacity
- Black Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 595\*550\*500 mm
- Carcass Dimension: (H\*W\*D): 662\*605\*555 mm



**FFSD 6PR 8S Ace Inox**

- 6 Washing Programs
- 8 Place capacity
- Inox Finish
- Half Load
- Power Memory
- Electronic Push Button Control
- LED Display
- Natural Drying
- 1-24 hours Delay
- Salt and rinse aid indicators
- Self Clean Filter System
- A++++/A/A (energy, cleaning, drying)
- Product Dimension (H\*W\*D): 595\*550\*500 mm
- Carcass Dimension: (H\*W\*D): 662\*605\*555 mm





*Introducing frost free wine chillers,  
Setting the standard for  
storing and serving wine*



**JCF 145S**

Dual zone : 5-20°C / 41-68°F  
 Triple Glazed Glass door  
 Wooden shelves (46 bottles)  
 Reversible Door  
 Touchpad controller with LED display  
 Tropical Climate Class  
 Circulated Fan cooling system with R600a  
 Frost Free System : Yes



**JCF 88**

Single zone : 5-20°C / 41-68°F  
 Triple Glazed Glass door  
 Wooden shelves (33 bottles)  
 Reversible Door  
 Touchpad controller with LED display  
 Tropical Climate Class  
 Circulated Fan cooling system with R600a  
 Frost Free System : Yes



**JCF 58**

Single zone : 5-20°C / 41-68°F  
 Triple Glazed Glass door  
 Wooden shelves (20 bottles)  
 Reversible Door  
 Touchpad controller with LED display  
 Tropical Climate Class  
 Circulated Fan cooling system with R600a  
 Frost Free System : Yes



**JCF 20**

Single zone : 5-20°C / 41-68°F  
 Triple Glazed Glass door  
 Wooden shelves (7 bottles)  
 Reversible Door  
 Touchpad controller with LED display  
 Tropical Climate Class  
 Circulated Fan cooling system with R600a  
 Frost Free System : Yes





*Faster and  
Even cooling Everywhere*

360° Airflow technology provide cold air where it is easily lost, keeping your food fresher.



**FBIR BCD-256 RAC**

Model Name	FBIR BCD-256 RAC
Finish	White
Capacity	256L
Construction Type	Built-in
Energy Efficiency Class	A+
Climate Class	N-T
Temp. Control (mechanical / electronic)	electronic
Location of control panel	Outside - on the top stripe
Display	Electronic
Function	Super cooling, Super freezing, ECO function, Holiday function
Door	Reversible
Refrigerant	R-600a
Alarm (refrig / freezer)	High temperature, Opened door
No. of Shelves in Refrigerator	4
Number of Freezer Drawers	3
Voltage (V)	220 - 240
Frequency (Hz)	50
Weight Net / Gross (kg)	72
Size/Dimension H×W×D (cm)	177 x 54 x 54





# CLASSY COOKTOPS FOR *Convenient Cooking*



## SAVE YOUR HOME FROM DANGERS OF GAS LEAKS.

STATE-OF-THE-ART FABER RANGE OF COOKTOPS WITH EUROPEAN GAS VALVES KEEPS YOUR KITCHEN SAFE.



**Push Auto Start Regulator**

ERGONOMICALLY DESIGNED  
USE ONLY ONE HAND TO IGNITION



**Glass Top**

TOUGHENED GLASS  
BLACK & WHITE COLOR



**High Performance Burners**

ALLOY BURNER  
SHOT BLAST BRASS BURNER

**NiOS DLX 905 BB BK**

- Slim Type with Black Matt Finish Frame
- 5 Brass Burner: 2 Jumbo + 2 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- Heat Resistant Metal Knobs
- Diamond Coated Drip Tray
- Size (WxDxH): 905 x 510 x 100 mm



**NiOS DLX 804 BB BK**

- Slim Type with Black Matt Finish Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- Heat Resistant Metal Knobs
- Diamond Coated Drip Tray
- Size (WxDxH): 750 x 510 x 100 mm



**NiOS DLX 754 BB BK**

- Slim Type with Black Matt Finish Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- Heat Resistant Metal Knobs
- Diamond Coated Drip Tray
- Size (WxDxH): 750 x 510 x 100 mm



**NiOS DLX 753 BB BK**

- Slim Type with Black Matt Finish Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- Heat Resistant Metal Knobs
- Diamond Coated Drip Tray
- Size (WxDxH): 750 x 510 x 100 mm



**NiOS DLX 653 BB BK**

- Slim Type with Black Matt Finish Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Diamond Coated 5mm Grid Pan Support
- Heat Resistant Metal Knobs
- Diamond Coated Drip Tray
- Size (WxDxH): 600 x 510 x 100 mm



**PRINCE 4BB BK**

- Slim Type with Black Powder Coated Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- High temperature resistance diamond coated Pan Support
- Champagne gold finish edge protector
- Diamond Coated Drip Tray
- Size (WxDxH): 720 x 500 x 55 mm



**PRINCE 3BB BK**

- Slim Type with Black Powder Coated Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- High temperature resistance diamond coated Pan Support
- Champagne gold finish edge protector
- Diamond Coated Drip Tray
- Size (WxDxH): 770 x 380 x 55 mm



**ONYX 4BB BK CI**

- Black Powder Coated Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Diamond Coated Pan Support
- Diamond Coated Drip Tray
- Size (WxDxH): 635 x 500 x 50 mm




**ONYX 3BB BK CI**

- Black Powder Coated Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Diamond Coated Pan Support
- Diamond Coated Drip Tray
- Size (WxDxH): 770 x 380 x 50 mm



**REMO 4BB BK**

- Slim Black Powder Coated Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Power Coated Square Pan Support
- Matt Finish SS Tray
- Size (WxDxH): 630 x 500 x 55 mm



**REMO 3BB BK**

- Slim Black Powder Coated Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Power Coated Square Pan Support
- Matt Finish SS Tray
- Size (WxDxH): 770 x 380 x 55 mm



**REMO 2BB BK**

- Slim Black Powder Coated Frame
- 2 Brass Burner: 1 Jumbo + 1 Small
- Powder Coated Square Pan Support
- Matt Finish SS Tray
- Size (WxDxH): 700 x 290 x 55 mm





**SUPREME PLUS XL 4BB AI/4BB**

- Brush Steel Finish Frame
- 4 Burner Brass: 1 Jumbo Burner + 2 Medium + 1 Small
- Heat Resistant Euro Coating
- Square Pan Support
- Removable Square Drip Tray
- Size (WxDxH): 890 x 360 x 55 mm
- Available in Auto Ignition Alsoa



**SUPREME PLUS 4BB AI/4BB**

- Brush Steel Finish Frame
- 4 Burner Brass: 1 Jumbo Burner + 2 Medium + 1 Small
- Heat Resistant Euro Coating
- Square Pan Support
- Removable Square Drip Tray
- Auto Ignition: Also Push & Hold/Non AI
- Size (WxDxH): 635 x 500 x 55 mm



**SUPREME PLUS 3BB AI/3BB**

- Brush Steel Finish Frame
- 3 Burner Brass: 1 Jumbo Burner + 1 Medium + 1 Small
- Heat Resistant Euro Coating
- Square Pan Support
- Removable Square Drip Tray
- Auto Ignition: Push & Hold/Non AI
- Size (WxDxH): 770 x 380 x 55 mm



**CURVO MIRROR 4BB SS**

- Brush Steel Finish Frame
- 4 Brass Burner: 1 Jumbo + 2 Medium + 1 Small
- Heat Resistant Euro Coating
- Round Pan Support
- Removable Round Drip Tray
- Size (WxDxH): 630 x 510 x 55 mm



**CURVO MIRROR 3BB SS**

- Brush Steel Finish Frame
- 3 Brass Burner: 1 Jumbo + 1 Medium + 1 Small
- Heat Resistant Euro Coating
- Round Pan Support
- Removable Round Drip Tray
- Size (WxDxH): 770 x 370 x 55 mm



**ELITE 4BB BK CI**

- Frame: Black Matt
- 4 Brass Burners: Forged Burners with Logo
- 1 Jumbo + 2 Medium + 1 Small
- Pan support: 800 GMS Diamond Coated
- Tray: Black Enameled
- Size (WxDxH): 640 x 510 x 55 mm



**ELITE 2BB BK CI**

- Black Matt Frame
- 2 Brass Burners: Forged Burners with Logo
- 1 Jumbo + 1 Small
- Pan support: 800 GMS Diamond Coated
- Tray: Black Enameled
- Size (LxWxH): 650 x 380 x 55 mm



**SAVOY 4BB BS**

- Black Steel Finish Frame
- 4 Burners with Shot Blast (Faber Logo):
- 1 Jumbo + 2 Medium + 1 Small
- 300 GMS Diamond Coated Pan support
- Feather Touch Knobs Control
- Size (WxDxH): 630 x 500 x 55 mm



**SAVOY 3BB BS**

- Black Steel Finish Frame
- 3 Burners with Shot Blast (Faber Logo):
- 1 Jumbo + 1 Medium + 1 Small
- 300 GMS Diamond Coated Pan support
- Feather Touch Knobs Control
- Size (WxDxH): 770 x 380 x 55 mm



**ASTRA 4BB SS**

- Stainless Steel Finish Frame
- 4 Brass Burner:
- 1 Super Jumbo + 1 Medium + 2 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 585 x 500 x 55 mm



**ASTRA 2BB SS**

- Stainless Steel Finish Frame
- 2 Brass Burner:
- 1 Super Jumbo + 1 Medium
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 560 x 280 x 55 mm



**ASTRA 3BB SS**

- Stainless Steel Finish Frame
- 3 Brass Burner:
- 1 Super Jumbo + 1 Medium + 1 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 690 x 360 x 55 mm



**JUMBO XL AI 4BB/JUMBO XL 4BB**

- Black Matt Frame
- 4 Burner with Shot Blast (Faber Logo):  
1 Jumbo + 2 Medium + 1 Small
- Black Coated Round Pan Support
- Ignition: Manual / Auto Ignition
- Double Round Drip Tray
- Glass Size (WxDxH): 950 x 360 x 55 mm



**DOUBLE JUMBO 4BB BK**

- Black Matt Frame
- 4 Burner with Shot Blast (Faber Logo):  
2 Jumbo + 1 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Glass Size (WxDxH): 630 x 500 x 55 mm



**JUMBO 4BB BK**

- Black Powder Coated Frame
- 4 Brass Burner:  
1 Jumbo + 2 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 635 x 500 x 55 mm
- Also Available in Auto Ignition Push Button



**JUMBO 4BB SS**

- Stainless Steel Finish Frame
- 4 Brass Burner:  
1 Jumbo + 1 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 635 x 500 x 55 mm



**JUMBO 3BB BK**

- Black Powder Coated Frame
- 3 Brass Burner:  
1 Jumbo + 1 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 770 x 360 x 55 mm
- Also Available in Auto Ignition Push Button



**JUMBO 3BB SS**

- Stainless Steel Finish Frame
- 3 Brass Burner:  
1 Jumbo + 1 Medium + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 770 x 380 x 55 mm



**JUMBO 2BB BK**

- Black Powder Coated Frame
- 2 Brass Burner:  
1 Jumbo + 1 Small
- Power Coated Round Pan Support
- Double Round Drip Tray
- Size (WxDxH): 600 x 360 x 55 mm



**POWER 4BB BK**

- Black Powder Coated Frame
- 4 Brass Burner:  
2 Medium + 2 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 585 x 500 x 55 mm



**POWER 3BB BK**

- Black Powder Coated Frame
- 3 Brass Burner:  
2 Medium + 1 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 690 x 360 x 55 mm



**POWER 2BB BK**

- Black Powder Coated Frame
- 2 Brass Burner: 1 Medium + 1 Small
- Powder Coated Round Pan Support
- Fixed Round Drip Tray
- Size (WxDxH): 600 x 290 x 55 mm







# FABER PRESENTS INDIA'S CHOICE CANDY

Available Colours



Mystic Red



Black



White



Plum



Lemans Blue

## 8 IN 1 FUNCTIONS



## 3-IN-1 MASTERCHEF

ALL-IN-1 MIXER GRINDER, JUICER & BLENDER  
WITH KIT FOR WEIGHING, CHOPPING, CUTTING AND SLICING.

Available Colours



Mystic Red



Lemans Blue



Plum



Black



White



Free Accessories

**FMG MASTERCHEF 3J/4J**

- Manual functions
- Powerful 100% copper motor with automotive ball bearing
- Superior Quality SS 304 Jars & Blades
- Engineered for low noise
- Wattage: 800W/1000W
- RPM, 22000 Approx. No Load Speeds
- Nylon Coupler
- Safety ensured overload protection switch and anti skid rubber feet
- SS 304 Jars & Blades with lockable Jar Lids, Jar with Flow Breaker
- 1.5L liquidizing jar, 1L Dry jar, 0.4L Chutney jar and 1.5L PC jar



**FMG CANDY 4 J/3J**

- Manual functions
- Powerful 100% copper motor with automotive ball bearing
- Superior Quality SS 304 Jars & Blades
- Engineered for low noise
- Wattage: 800W/1000W
- RPM, 22000 Approx. No Load Speeds
- Nylon Coupler
- Safety ensured overload protection switch and anti skid rubber feet
- SS 304 Jars & Blades with lockable Jar Lids, Jar with Flow Breaker
- 1.5L liquidizing jar, 1L Dry jar, 0.4L Chutney jar and 1.5L PC jar



**FMG CROWN 800 W 3J/4J**

- Manual functions
- 4 Jar Blender Mixer Grinder
- Motor Capacity : 800 Watts (Copper)
- RPM, 20000 Approx. No Load Speeds
- 0.4 ltrs/ 1.5 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip lock



Mystic Red

**FMG HILUX 550 W**

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 550 Watts (Copper)
- RPM, 18000 Approx. No Load Speeds
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip lock



Nero

**FMG VOGUE 600 W**

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 600 Watts (Copper)
- RPM, 19000 Approx. No Load Speeds
- 0.4 ltrs/ 1.0 ltrs/ 1.5 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug
- Clip lock



Blanc

**SONNET 500 W**

- Manual functions
- 3 Jar Blender Mixer Grinder
- Motor Capacity : 500 Watts (Copper)
- RPM, 18000 Approx. No Load Speeds
- 1.2 ltrs/ 0.8 ltrs/ 0.350 ltrs Jar
- 3 Speed + 1 Pulse
- Spatula
- Safety ensured overload protection switch and anti skid rubber feet
- 3 Pin 5 Amps Plug







**FHB 6059 FS BK**

44 mm Diameter  
550w DC Motor  
ABS Plastic Body  
SS Shaft & Blade  
1 Speed + Stepless Variable Speed  
Chopper bowl, Whisk, Measuring Cup,  
1L Storage Container



**FHB 6059 SO BK**

44 mm Diameter  
550w DC Motor  
ABS Plastic Body  
SS Shaft & Blade  
1 Speed + Stepless Variable Speed  
1L Storage Container



High Performance  
DC Motor



Swirl Flow



BPA Free Plastics



Gearbox Drive



Super Quiet > 45 dB



Infinitely Adjustable  
Control



FAQA  
Certified



ISO 9001:2008  
Certified Factory



180 Quality Tests



Micromesh  
Juicing Sieve



Multi  
Purpose SS Jar



3-Speed  
Control



Powerful  
500W Motor



Double Lock  
System

## FJMG REGAL TREND 2J

Motor Capacity: 500 Watts

Jar: 0.8 L / 1.5 L

High Performance Blade

Micromesh Juicing Sleeves

Speed: 3 Speed + 1 Pulse (18000 RPM)

Accessories: Spatula

Color: White - Cherry Red

2 Pin 2 Core





Juice | Smoothies | Nut Milk | Sorbet | Salad Maker

# JUICE EVERY THING



High Performance  
DC Motor



BPA Free Plastic



< 45db



Upto 95%  
Efficiency



28Nm Torque  
Gear Box



Comes with Salad Maker Attachments



**FSJ 200 BK-M**

- 80mm big feeder
- LCD display, digital control.
- Producing Healthy & Fresh juice
- 60rpm low speed motor
- 95% juice rate
- Safety protection system
- 20 mins continuous working time
- Reverse function to avoid stuck
- Power: 220-240V~,50/60Hz, 200W
- Materials: ABS, food grade PC, 304 stainless steel, copper
- Salad making



**FSJ 150 R**

- Producing Healthy & Fresh juice
- 60rpm low speed motor
- 95% juice rate
- Special patent
- Safety protection system
- Low noise, Lower vibration
- 20 mins continuous working time
- Reverse function to avoid stuck
- Power: 220-240V~,50/60Hz, 150W
- Materials: ABS, food grade PC, 304 stainless steel, copper




**Salad Maker**



**FABER Slow Juicer**

**OTHER Centrifugal juicer**



**FRUITS (Hard & Soft)**  
Apple, Grape, Orange, Pomegranate, SweetLime, Grapefruit, Pineapple, Watermelon, Mango, Dragonfruit, Peach, Pear, etc



**LEAFY GREENS**  
Wheatgrass, Celery, Parsley, Spinach, Kale, etc. Add Apple / Pineapple / Orange to Leafy Greens for delicious Healthy Juice.



**VEGETABLES**  
Carrot, Beetroot, Cucumber, Tomato, Bottle-guard, Amla, Bitter-guard, etc



**NUT MILK**  
Almond, Cashew, Soy, etc. Prepare Delicious & Healthy Vegan Nut Milk



# C-GUARD

RO WITH VITAMIN C FILTER



RO ki  
purity.  
Vitamin C ki  
immunity.



DELIVERS 4.5 mg OF VITAMIN C PER 100 ml OF WATER



## C-GUARD PLUS

- RO + MAT + Vitamin C + UV
- 7 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- C-Guard Filter
- Post Carbon in C-Guard Filter
- Vitamin C in C-Guard Filter
- Water Level Indicator
- Tank Full Indicator
- 2500 PPM TDS# Filtration Limit



**ALTROZ**

- RO + UV + UF + MAT + Mineral Filter Filtration
- 10 Litres (Gross Volume) Storage Tank
- 9 Stage of Filtration
- Sediment - 1
- Sediment - 2
- Pre Carbon
- Heavy Duty RO Membrane (Made In USA)
- Post Carbon
- Inside Post Carbon MAT\* Filter
- Mineral Filter
- UF Membrane
- UV Filter
- 3000\*PPM TDS# Filtration Limit
- Water Level Indicator



**CASPER PLUS**

- RO + UV + CU Guard Filtration
- 10 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- Post Carbon
- UV Filter
- Copper Guard
- 2500\* PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator



**NEUTRON PLUS**

- RO + UV + UF + CU Guard + PH Enhancer Filtration
- 10 Litres (Gross Volume) Storage Tank
- 9 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- CSM 80 GPD RO Membrane
- Post Carbon
- UF Membrane
- UV Filter
- Copper Guard
- PH Enhancer
- 2500\*PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator



**CASPER DLX**

- RO + UF + MAT Filtration
- 10 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- Post Carbon
- Inside Post Carbon MAT\* Filter
- 2500\* PPM TDS# Filtration Limit
- Water Level Indicator
- Tank Full Indicator



**C-GUARD**

- RO + MAT + Vitamin C
- 7 Litres (Gross Volume) Storage Tank
- 7 Stage of Filtration
- External Sediment - 1
- Sediment - 2
- Pre Carbon
- 80 GPD RO Membrane
- C-Guard Filter
- Post Carbon in C-Guard Filter
- Vitamin C in C-Guard Filter
- Water Level Indicator
- Tank Full Indicator
- 2500 PPM TDS# Filtration Limit



**UTS PT PRO (RO+UV)**

- RO + UV Filtration
- 15 Litres (Gross Volume) Storage Tank
- 6 Stage No of Filtration
- Sediment - 1
- Sediment - 2
- Pre Carbon
- CSM 80 GPD RO Membrane
- Post Carbon
- 2500\* PPM TDS# Filtration Limit
- >12LPH@25°C, 20 PSI, TDS 750PPM Filtration Capacity
- 1.6LPM RO Booster Pump



**XUV 8000**

- 7 Litres (Gross Volume) Storage Tank
- UV + UF+ Alkaline
- 7 Stage Filtration
- Sediment-1
- Pre Carbon
- Sediment-2
- Post Carbon
- Alkaline in Post Carbon
- UV Filter
- UF Memberane
- Water Level Indicator
- Tank Full Indicator
- 500 PPM TDS# Filtration Limit





# Bake, toast and grill GOODNESS!

Make every day delightfully delicious with the FABER OTG.



THE **FOTG** SERIES



60 MINUTES  
TIMER



CHAMBER LIGHT FOR  
EASY MONITOR



AUTO SHUT OFF  
& READY BELL



ACCESSORIES FOR  
MULTI-COOKING



ROTISSERIE



CONVECTION



CRUMB TRAY

## Safety & Standards



180 Quality Tests



MS Special  
Coating



Cool Touch  
Handle



ISO 9001:2008 Certified Factory

**FOTG 60L**

60 Litres Capacity  
 Rotisserie Function  
 Convection Function  
 2200 Watts  
 60 min timer  
 100 - 250° C Adjustable Temp  
 Cool Touch Handle  
 4pcs SS Heating Element  
 With Indicator Light  
 4 Stages Switch Heating Selection:  
 off / Upper Heating / Lower Heating  
 / Upper & Lower Heating  
 Auto Shut Off & Ready Bell  
 Removable Crumb Tray



**FOTG 45L**

45 Litres Capacity  
 Rotisserie Function  
 Convection Function  
 2000 Watts  
 60 min timer  
 100 - 250° C Adjustable Temp  
 Cool Touch Handle  
 4pcs SS Heating Element  
 With Indicator Light  
 6 Stages Switch Heating Selection:  
 off / Upper Heating / Lower Heating /  
 Upper & Lower Heating  
 Auto Shut Off & Ready Bell  
 Removable Crumb Tray



**FOTG 34L**

34 Litres Capacity  
 Rotisserie Function  
 Convection Function  
 1600 Watts  
 60 min timer  
 100 - 250° C Adjustable Temp  
 Cool Touch Handle  
 4pcs SS Heating Element  
 With Indicator Light  
 6 Stages Switch Heating Selection:  
 off / Upper Heating / Lower Heating  
 / Upper & Lower Heating  
 Auto Shut Off & Ready Bell  
 Removable Crumb Tray



**FOTG 24L**

24 Litres Capacity  
 Rotisserie Function  
 Convection Function  
 1600 Watts  
 60 min timer  
 100 - 250° C Adjustable Temp  
 Cool Touch Handle  
 4pcs SS Heating Element  
 With Indicator Light  
 6 Stages Switch Heating Selection:  
 off / Upper Heating / Lower Heating  
 / Upper & Lower Heating  
 Auto Shut Off & Ready Bell  
 Removable Crumb Tray



**FOTG 9L**

9 Litres Capacity  
 1000 Watts  
 30 min timer  
 100 - 250° C Adjustable Temp  
 Cool Touch Handle  
 SS Heating Element  
 With Indicator Light  
 off / Upper Heating / Lower Heating  
 / Upper & Lower Heating  
 Auto Shut Off & Ready Bell  
 Removable Crumb Tray







**FT 950W DLX BK**

Capacity: 2-short slice  
220-240V 50-60Hz 950W  
Electronic control  
With reheat/defrost/cancel setting and have red indicator  
Ajustable browning control/7 setting  
With anti-jam function



**FT 900W BK**

Capacity: 2-short slice  
220-240V 50-60Hz 900W  
Electronic control  
With reheat/defrost/cancel setting and have red indicator  
Ajustable browning control/7 setting  
With anti-jam function



**Features:**



2 Bread Slice Slot  
120cm x 120cm



Cool Touch  
Body



950 W Max/900 W  
Input



Food Grade  
Heating Element



Reheat Function



Defrost Function



Cancel Function



7 Browning Setting

**Convenience**




Removable Crumb  
Tray



Food Grade  
Plastic



Auto Pop Up





Thermostatically  
controlled Auto Cut off



BPA free  
plastic



Non Stick  
Coating



Cool Touch  
Housing

## FSTG 750 BK

### SANDWICH MAKER

Cool touch housing

2-slice sandwich maker grill

Non-stick coating plate for easy cleaning

Antiskid feet

Cord storage

Thermostatically controlled lamp

Power & ready lights



750 W Max  
Input




High Performance  
Heating Element





**ELECTRIC WATER KETTLE**



ISO 9001:2008 Certified Factory



180 Quality Tests



FAQA Certified



BPA FREE



PFOA FREE



**KETTLE SS**

Capacity: 1.8L, 1.5L, 1.2L  
220-240V 50Hz 1500W  
Auto Switch off  
Hinged and locking lid  
Detachable jug kettle with 360 power base  
Cool touch Handle  
Dry Heat Protection  
Over Heat Protection  
Auto Switch Off when water is boiled  
Stainless steel body with pre attached Filter



**KETTLE 1.7L**

Capacity: 1.7L  
220-240V 50/60Hz, 2200W  
Plastic kettle with a detachable non-slip base  
Safety lock lid  
With steam and anti-dry  
Overheating the power-off function of triple protection  
Stainless steel heat element heating  
On/off switch and light indicator  
Transparent water gauge show the water level  
With detachable filter for convenient cleaning



**Features:**



**ON/OFF Switch with light indicator**



**Removable filter**



**360 degree base**



**Dry heating protection**



**1.7 Litres**



**Water level indicator**



**Cool Touch Body**



**Hidden SS 304 Element**



**2200 W Max Input**



**FAQA Certified**



**ISO 9001:2008 Certified Factory**



**180 Quality Tests**



**BPA FREE**



**PFOA FREE**





**85%**

**REDUCED OIL  
USAGE**



**SMART LIGHT  
INDICATOR**



**ZERO OIL- HEALTHY  
COOKING**



**8 PRE SET COOKING  
MENUS**



**SWIRL HEATING  
TECHNOLOGY**



**4.5 L CAPACITY**



**AUTO SHUT OFF**

**FAF 4.5MSBK**

- Capacity: 4L (basket) / 4.5 (drawer)
- 220-240v 50/60Hz 1500W
- Plastic body with metal painting decoration
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- 30/60 min timer automatically shut off for precise cooking
- LED display, touch panel
- Power cord storage
- Operation light indicator
- With few drops of oil or no oil during frying process, healthy lifestyle
- Can fry MAX 1500g frozen fries. (basket)



**FAF 3.0 L BK**

- Capacity: 2.7L (basket) / 3.0L (drawer)
- 220-240v 50/60Hz 1300W
- Plastic Body
- Detachable non stick container
- Detachable frying basket
- With overheat protection
- Power cord storage
- Operation light indicator
- Non-slip feet
- With few drops of oil or no oil during frying process, healthy lifestyle



**FEATURES & CONVICIENCE**



4.5 Litres



80 - 200° C



Cool Touch Handle



FAQA Certified



ISO 9001:2008 Certified Factory



180 Quality Tests



Swirl Cooking



Non Stick Slide Pan Out



1500 W Max Input



AUTO SHUT OFF



PFOA FREE



BPA FREE



DISHWASHER SAFE PAN



Digital



**FRY**



**ROAST**



**BAKE**



**GRILL**



## DURAMAX WH 150W

Capacity: 2 Litres

Stainless steel drum

Overload Protector

Direct drive transmission

**150-Watt Motor, 960RPM, 230V, 50HZ**

**Transparent lid and air vent**



02 Litres



25 MINUTES  
CONTINUOUS  
RUNNING



SPECIAL HIGH  
GRADE STONE





## FMC 1.2 BK

Capacity: 1.2 Litres

220-240V 50-60Hz 700W

SS 304 Container

Multi Cooker



COOL TOUCH  
BODY



FOOD GRADE  
INTERNAL



1.2 LITRES





# A HELMET OR THE SAFER GEYSER ? YOUR CHOICE.

## PRESENTING FABER GEYSERS WITH 12 SAFETY FEATURES

Whether it's your bathroom or your kitchen, make the safer choice with Faber Geysers. With 12 built-in safety features, they are engineered to deliver peace of mind. Always.



\*5-Star BEE Standard

\* TC Apply



**12** SAFETY FEATURES

ANTI SHOCK PRESSURE RESIST

#Safer With Faber



**LEXUS**

- FWG LEXUS 10, FWG LEXUS 15, FWG LEXUS 25
- 10, 15L, 25 Capacity
- Vertical Installation
- Red Ivory/Sandy Black Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



**JAZZ ELITE 15/25**

- FWG JAZZ 15V, FWG JAZZ 25V,
- 15L, 25L Capacity
- Vertical Installation
- Wine Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



**AVAILABLE COLOR**



**Sandy Black**



**Red Ivory**

**JAZZ LHS & RHS**

- FWG JAZZ 15H, FWG JAZZ 25H,
- 15L, 25L Capacity
- Horizontal Installation
- White Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 4 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



**VULCAN**

- FWG VULCAN 6V, FWG VULCAN 10V,
- FWG VULCAN 15V, FWG VULCAN 25V
- 6L, 10L, 15L, 25L Capacity
- Vertical Installation
- White Color
- Heating indicator
- Glassline Coated Tank
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating • CRCA EDD Grade Tank material
- MFV Safety valve • Thermostat • Thermal cut off



**INSTA**

- FWG INSTA 1L (3KW), FWG INSTA 1L (4.5KW),
- FWG INSTA3L (3KW), FWG INSTA 3L (4.5KW),
- 1L, 3L Capacity
- Vertical Installation
- White Color
- Heating indicator
- 8 Bar High Working Pressure
- Fixed Control (55 Degree C) Controls
- 3000W, 4500 W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- SS TANK (304 grade) Tank material
- PRV Safety valve • Thermostat • Thermal cut off
- 3 Pin, 3 core plug
- 8 Bar High Working Pressure







## SAFETY FEATURES\*



Single Weld line



High Working  
Pressure



Thermal Cutout



No Water Leakages  
Even Coating Across Area




5-Bolt Flange



High Precision  
Thermostat




MFV  
(Extreme Condition)



Low Carbon CRCA Sheet  
for better strength




Multi-Layer



Magnesium Anode



Glasslined Element



Girth Welding

**CYRUS**

- FWG CYRUS 15, FWG CYRUS 30
- 15L, 25L Capacity
- Vertical Installation
- Black/Cherry Colour
- Digital display, Heating indicator
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 5 Star Rating Rated Star Rating
- MFV Safety valve • Thermostat • Thermal cut off



**Also available in manual model**



**Manual Model**



**Digital Model**

**JAZZ ELITE 35/50**

- FWG JAZZ ELITE 35, FWG JAZZ ELITE 50
- 35L, 50L Capacity
- Vertical Installation
- White Color
- Heating indicator
- 8 Bar High Working Pressure
- Variable Adjustment (30-75 Degree C) Controls
- 2000W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current • 50 Hz Rated Frequency
- 4 Star Rating Rated Star Rating
- MFV Safety valve • Thermostat • Thermal cut off



**AGNES**

- FWG AGNES
- Tank less
- Vertical Installation
- White Color
- Heating indicator
- 8 Bar High Working Pressure
- 3500W Rated power input
- 230V Rated Voltage
- 16 Ampere Rated input current
- 50 Hz Rated Frequency
- Thermostat
- Thermal cut off





# YOU AND YOUR FAMILY... NOW SAFER WITH FABER



Effective disinfection  
Seafoam



Fruit & vegetables



Meat



Tableware

Available Colour



Seafoam

Blonde

Indigo

Iris

**OXYPURE 10**

- 10 Litres Capacity
- ABS Material
- 230V 50Hz, AC Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Table Mounted Installation
- 1.45 Kgs Product Weight
- Dimension (L\*W\*H): 330\*270\*320 mm



**TAD 1L SS**

- 1 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



**TAD 2L SS**

- 2 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



**TAD 5L SS**

- 5 Litre Capacity
- Stainless Steel, SS 430 Material
- Plastic, HDPE/PET Storage
- AC 230V Power Supply
- 1.5 Meters Power Cord
- Plug & Play Type
- Wall Mounted Installation
- Suitable for Alcohol Based Liquid Dispenser Only



**TAD 2L 3-in-1**

- 2 Litre Capacity
- Plastic, HDPE/PET Material
- 1 Meter Without Charger Socket Charging Cable
- Plug & Play Type
- Dual, Table Top or Wall Mounted Installation
- 3-in-1 Dispenser with option of dispensing Liquid, High Viscose Gel and Soap
- Wall Mounting Plastic Stand Unit as Accessories with the product



**FDS CARE PRO**

- DC 5V / 2Amp Rated Input
- 100 W Rated Power
- 0.5 kg Net weight
- 245 x 200 x 170mm Product Size
- Type-C or USB Input interface
- 0-40°C Working Temperature
- Full UV disinfection of upper and lower double layers
- Removes bacteria & viruses within 3 minutes
- 254 to 260 nm range powerfully germicidal
- Portable & compact design
- Unlike chemical treatments, the process of UV disinfection is environmentally friendly



**FDS CARE PLUS-FR**

- 220V~, 50Hz Rated Voltage
- 100 W Rated Power
- 0.69 kg Net weight
- Protection from dust
- Removes bacteria & viruses
- Multi functional foldable UV Box
- 310 mm x 60 mm Product size (Unfolding)
- 310 mm x 160 mm Product size (Unfolding)
- 3 in 1 (UV Sterilization + Pasteurization +Cloth dryer)
- A cloth dryer (360 degree cycle drying)
- Aroma Therapy (Removes odour)
- 254 to 260 nm range powerfully germicidal
- Portable & compact design
- Unlike chemical treatments, the process of UV disinfection is environmentally friendly



**FDS SUV 20 / FDS SUV 30**

- 20 Litres / 30 Litres Capacity
- 230V AC 50Hz Rated Input Voltage
- 22 W Operating Power (W)
- 0.5 W Stand by Power (W)
- 2 Nos each of 11 W Germicidal Lamps
- 3 Pin 5A, 1.2 meters Power Cable
- 1 to 12 minutes Timer Setting
- Metallic Powder Coated Material of Body
- Digital Display Type
- 8 Buttons Control Panel
- 254 nm UV-C Light Output
- 0°C - 45°C, 10-85% humidity Operating Temperature
- UV-C protection against opening of door







Scan to download  
Faber Master Catalogue



**FRANKE FABER INDIA PRIVATE LIMITED**

Regd. Office/ Factory: 1086/1/2, Sanaswadi, Nagar Road, Tal Shirur, Pune 412208, Maharashtra, India  
Toll Free Helpline: 1800 209 3484, email: ks-customer@franke.com, website: www.faberindia.com

Follow us on:  /FaberIndia  /faberindia  /FaberSpaIndia

**Franke Faber India Private Limited is Licensed User of ©Trademark of FABER S.P.A**

Features and specifications are subject to change without prior notice. Pictorial representation may not be identical to actual product.